Sheet	1	of	4

FORM	PTO-I	449	Adapted

LIST OF INFORMATION DISCLOSED BY APPLICANT (Use several sheets if necessary)

ATV. DOCKET NO. SERIAL NO. CHOCKET NO. CEROUP CEROUP CEROUP U.S. PATENT DOCUMENTS U.S. PATENT DOCUMENTS U.S. PATENT DOCUMENTS U.S. PATENT DOCUMENTS EXAMINER DOCUMENT MUMBER DATE NAME CLAS SUBCLASS FILING DATE (PATEROPRIATE AA 5,518,499 05721/06 Agar OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) AB 5,767,160 06/16/98 Kaesemeyer OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) AC Admissed, W.M., Contribution of kea channel activation to hypoxic cerebrovasodilation does not involve NO, Brain Res. 799:44-48 (1998). ABSTRACT ONLY. AD Barna, M., et al., Activation of type III nitric axide synthase in astrocytes following a neurotropic viral infection, Virology, 223: 331-343 (1996). AE Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric axide effects in human and rate platelets. [Cardiovase Pharmacol., 33(3):390-7 (2000). ABSTRACT ONLY. AF Boje, K.M., Inhibition of nitric axide synthase attenuates blood-brain barrier disruption during experimental meninguis. Brain Research. 720:75-83 (1996). AG Brandt, L., et al., Effects of iopical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Indio Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guarylate cyclase for treatment of male erectile dysfunction, International Journal of Importence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, Pharacol Exp Therap. 283:293-8 (1998). ABSTRACT ONLY. AJ Chandras, S., et al., Nitric axide: concepts, 14:8-14 (2002). AI Chandras, S., et al., Pharmacology, 30:351-366 (1998). AK Cloughesy, T.F., et al., Pharmacology and blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:152-132 (1995). AD Fukumura, D., et al., Golf modulates basal and macrovasce permeability		(Ose several streets if necessary)							
U.S. PATENT DOCUMENTS DOCUMENT NUMBER DATE NAME CLASS SUBCLASS FILING DATE PAPEROPRIATE). SERIAL NO.						
EXAMINER DOCUMENT NUMBER DATE NAME CLASS SUBCLASS FILING DATE (INTIAL AA 5,518,499 05/21/06 Agar OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) AC Armstead, W. M., Contribution of kea channel activation to hypoxic cerebrovasodilation does not involve NO, Brain Res. 799:44-48 (1998). ABSTRACT ONLY. AD Barna, M., et al., Activation of type III nitric axide synthase in astrocytes following a neurotropic viral infection, Virology, 223: 331-343 (1996). AE Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric axide effects in human and rate platelets, I Cardiovasc Pharmacol, 35(3):390-7 (2000). ABSTRACT ONLY. AF Boje, K.M., Inhibition of nitric axide synthase attenuates blood-brain barrier disruption during experimental meningitis, Brain Research, 720:75-83 (1996). AG Brand, L., et al., Effects of topicical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 344-30 (1983). AH Brioni, J.D., et al., Activators of soluble guarylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calcium-activated potassium channels and nitrate-induced vasodilation in human coronary arteries. J Pharacol Exp Therag, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric axide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric axide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacology, 30:351-3513 (1994). AN Fukao, M., et al., Cyclic GMF-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, Biol Chem, 274(16):10927-35 (1999). AN Fukao, M., et al., Cyclic GMF-dependent protein kindase activates cloned BKCa cha			GROUP						
AA 5,518,499 05/21/06 Agar OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Armstead, W.M., Contribution of kea channel activation to hypoxic cerebrovasodilation does not involve NO, Brain Res. 799:44-48 (1998). ABSTRACT ONLY. AD Barna, M., et al., Activation of yop III nitric axide synthase in astrocytes following a neurotropic viral infection, Virology, 223: 331-343 (1996). AE Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric axide effects in human and rate platelets, I Cardiovasc Pharmacol, 35(3):390-7 (2000). ABSTRACT ONLY. AF Boje, K.M., Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis, Brain Research, 720:75-83 (1996). AG Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal tschemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium chamels and nitrate-induced vasodilation in human coronary arteries, J Pharacol Exp Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Impotence (1998). AK Chi, O.Z., et al., Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacology, 30:331-366 (1998). AK Chi, O.Z., et al., Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacology, 30:331-336 (1998). AN Felisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa ch					U.S. PATENT DO	OCUMENTS			
AB 5,767,160 06/16/98 Kaesemeyer OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Armstead, W.M., Contribution of kea channel activation to hypoxic cerebrovasodilation does not involve NO, Brain Res, 799-44-48 (1998). ABSTRACT ONLY. AD Barna, M., et al., Activation of type III nitric oxide synthase in astrocytes following a neurotropic viral infection, Virology, 223: 331-343 (1996). AE Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric oxide effects in human and rate platelets, 1 Cardiovasc Pharmacol; 35(3):390-7 (2000). ABSTRACT ONLY. AF Boje, K.M., Inhibition of nitric oxide synthase attenuates blood-brain barrie disruption during experimental meningitis, Brain Research, 720:75-83 (1996). AG Brandt, L., et al., Effects of topical application of calcium antagonist (nifedpine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, J. Pharacol Exp. Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Niric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacology, 48:367-373 (1998). AN Fukao, M., et al., Pharacol General protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophopylation at serine 1072, 1 Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Fukao, M., et al., Ro			DOCUMENT NUMBER	DATE	NAME		CLASS	SUBCLASS	
AC Armstead, W.M., Contribution of kac channel activation to hypoxic cerebrovasodilation does not involve NO, Brain Res. 199:44-48 (1998). ABSTRACT ONLY. AD Barna, M., et al., Activation of type III nitric oxide synthase in astrocytes following a neurotropic viral infection, Virology, 223: 331-343 (1996). AE Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric oxide effects in human and rate platelets. J. Cardiovasc Pharmacol, 35(3):390-7 (2000). ABSTRACT ONLY. AF Boje, K.M., Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis, Brain Research, 720:75-83 (1996). AG Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, international Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries. J Pharacol Exp Therag, 285:293-8 (1988). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, C.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacology, 28:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Felisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arth. Pharmacol. Synthesig. T.Cardiovasc Pharmacol., 31:921-9 (1998). ABSTRACT ONLY. AP Herrera, G.M., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews,	R	AA	5,518,499	05/21/06	Agar				,
AC Armstead, W.M., Contribution of Rea channel activation to hypoxic cerebrovasodilation does not involve NO, Brain Res, 799:44-48 (1998). ABSTRACT ONLY. AD Barma, M., et al., Activation of type III intric axide synthase in astrocytes following a neurotropic viral infection, Virology, 223: 331-343 (1996). AE Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric axide effects in human and rate platelest, J Cardiovasc Pharmacol, 35(3):390-7 (2000). ABSTRACT ONLY. AF Boje, K.M., Inhibition of nitric axide synthase attenuates blood-brain barrier disruption during experimental meningitis, Brain Research, 720:75-83 (1996). AG Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 34-45 (1983). AH Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bycktov, R., et al. Calcium-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, J Pharacol Exp Therap, 285:293-8 (1998). ABSTRACT ONLY. AI Chandran, S., et al., Nitric axide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:31-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacology, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Felson, M., the use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Felson, T.F., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274	14	AB	5,767,160	06/16/98	Kaesemeyer				
Brain Res. 799:44-48 (1998). ABSTRACT ONLY.									
AE Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric oxide effects in human and rate platelets, Lardiovase Pharmacol, 35(3):390-7 (2000). ABSTRACT ONLY. AF Boje, K.M., Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis, Brain Research, 720:75-83 (1996). AG Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guarnylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, J. Pharacol Exp. Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacology, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Felisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). ABSTRACT ONLY BAP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H186	725	AC					c cerebro	ovasodilation	does not involve NO,
effects in human and rate platelets, J Cardiovasc Pharmacol, 35(3):390-7 (2000). ABSTRACT ONLY. Boje, K.M., Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis, Brain Research, 720:75-83 (1996). AG Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, J Pharacol Exp Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:331-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacologylogy, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Feelisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancet and Metastasis Reviews, 17:77-89 (1998). ABSTRACT ONLY. Herrera, G.M., et al., Mainained vasodilatory response to cromakalim after inhibition of nitric oxide synthesis; 1 Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY DATE CONSIDERED EXAMINER: Initial if reference considered, whe	M	AD				xide synthase in astr	ocytes fo	llowing a neu	rotropic viral
Meningitis, Brain Research, 720:75-83 (1996). AG Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, J Pharacol Exp Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric axide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, O.Z., et al., Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacologylogy, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Feelisch, M., The use of nitric axide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. AQ Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide Synihesis; 1 Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY		AE							
microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983). AH Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, J Pharacol Exp Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacologylogy, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Feelisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmool, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. BARTHER DATE CONSIDERED AND Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide formities; Tamination of not in conformance with MPEP 609; Draw line through citation if not in		AF					ain barri	er disruption	during experimental
International Journal of Impotence Research, 14:8-14 (2002). AI Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries. J Pharacol Exp Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacologylogy, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Feelisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. AQ Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide synthesis; 1 Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY DATE CONSIDERED EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AG	microvasculat	Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and					
Coronary arteries, J Pharacol Exp Therap, 285:293-8 (1998). ABSTRACT ONLY. AJ Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, Indian Journal of Pharmacology, 30:351-366 (1998). AK Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacologylogy, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Felisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmacol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., CGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. AQ Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide Synthesis, 1 Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AH		Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction,					
Journal of Pharmacology, 30:351-366 (1998). AK		ΑI							
ischemia, Pharmacologylogy, 48:367-373 (1994). AL Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal of Neuro-Oncology, 26:125-132 (1995). AM Feelisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmcol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. AQ Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide synthesis. I Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AJ							
of Neuro-Oncology, 26:125-132 (1995). AM Feelisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmcol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. AQ Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide synthesis, Tardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AK							
Pharmcol, 358:113-122 (1998). AN Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. AQ Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide synthesis, Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AL		Cloughesy, T.F., et al., Pharmacological blood-brain barrier modification for selective drug delivery, Journal					
Mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999). AO		AM							
Metastasis Reviews, 17:77-89 (1998). AP He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. AQ Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide synthesis, J Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY EXAMINER DATE CONSIDERED EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AN		Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in					
Physiol, 274:H1865-74 (1998). ABSTRACT ONLY. Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide synthesis, I Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY EXAMINER DATE CONSIDERED EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AO		Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and					
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in		AP		He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J					
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in	RS	AQ	Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric oxide						
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in	EXAMINE	R	Calle			DATE CONSIDI	ERED	6/14/06	
	EXAMIN	EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in				citation if not in			

FORM	PTO-	449.	Adanted

LIST OF INFORMATION DISCLOSED BY APPLICANT (Use several sheets if necessary)

ATTY. DOC		SERIAL NÓ.	FILING DATE October 29, 2003		
APPLICANT Keith L. Black and Nagendra S. Ningaraj		nd Nagendra S. Ningaraj	GROUP		
		OTHER REFERENCES (Inclu	ding Author, Title, Date, Pertinent Pages, Etc.)		
19	AR	Holschermann, H., et al., Dual role of endothelial cells, Am J Physiol, 272:	of cGMP in modulation of macromolecule permeability of aortic H91-8 (1997). ABSTRACT ONLY.		
	AS		nin-barrier by intracarotid infusion of papaverine in treatment of Medical Journal, 111(8):751-753 (1998).		
	AT	Hurst, R.D., et al., Nitric oxide-induc Journal of Cellular Physiology, 167:8	ced perturbations in a cell culture model of the blood-brain barrier, 89-94 (1996).		
	ΑU	Inamura, T., et al., Intracarotid histal Neurological Research, 16:125-128 (mine infusion increases blood tumour permeability in RG2 glioma, (1994).		
	AV	Inamura, T., et al., Intracarotid infus to brain tumors, J Neurosurg, 81:752	ion of RMP-7, a bradykinin analog: a method for selective drug delivery 2-758 (1994).		
	AW	Janigro, D., et al., <i>Regulation of bloo</i> 75:528-528 (1994).	Janigro, D., et al., Regulation of blood-brain barrier endothelial cells by nitric oxide, Circulation Research,		
[\ .	AX	Kimura, M., et al., Responses of hum Cardiovasc Pharmacol, 32: 695-701	an basilar and other isolated arteries to novel nitric oxide donors, <u>I</u> (1998). ABSTRACT ONLY.		
b	AY'	Koesling, D., Modulators of soluble guanylyl cyclase, Naunyn-Schmiedeberg's Arch Pharmacol, 358:123-126 (1998).			
PS.	AŻ	Liu, Y., et al., Repeated, short-term ischemia augments bradykinin-mediated opening of the blood-tumor barrier in rats with RG2 glioma, Neurological Research, 23:631-639 (2001).			
irs	ВА	Lohse, M.J., et al., <i>Pharmacology of</i> 358:111-112 (1998).	Lohse, M.J., et al., Pharmacology of NO:cGMP signal transduction, Naunyn-Schmiedeberg's Arch Pharmcol,		
PS	BB		Matskado, T., et al., Selective Increase in Blood Tumor Permeability by Calcium Antagonists in Transplanted Brain Tumors, Acta Neurochir, 60: 403-405 (1994).		
	BC	Mayer, B., et al., Nitric oxide synthas Schmiedeberg's Arch Pharmcol, 358:	Mayer, B., et al., Nitric oxide synthases: catalytic function and progress toward selective inhibition, Naunyn-Schmiedeberg's Arch Pharmcol, 358:127-133 (1998).		
	BD	Mayhan, W.G., Role of nitric oxide in Brain Research, 743:70-76 (1996).	Mayhan, W.G., Role of nitric oxide in histamine-induced increases in permeability of the blood-brain barrier,		
	BE	Mayhan, W.G., et al., Glutamate-indi (1996).	uced disruption of the blood-brain barrier in rats, <u>Stroke</u> , 27:965-970 ,		
	BF	Nakano, S., et al., Increased brain microvessel permeability after intracarotid bradykinin infusion is mediated by nitric oxide, Cancer Research, 56:4027-4031 (1996).			
75	BG	Ningaraj, N.S., et al., Role of ATP-sensitive K+ channels in blood-brain tumor barrier permeability, Congress of Neurological Surgeons Annual Meeting, 50th Anniversary Celebration, September 23-28, 2000, Henry B. Gonzalez Convention Center, San Antonio, Texas, ABSTRACT No. 4309, p. 215.			
EXAMINE	R /	LOC-	DATE CONSIDERED 4/14/06		
		tial if reference considered, whether or not citati ot considered. Include copy of this form with ne	on is in conformance with MPEP 609; Draw line through citation if not in ext communication to applicant.		

FORM	PTO-1	449.	Adapted

LIST OF INFORMATION DISCLOSED BY APPLICANT (Use several sheets if necessary)

ATTY. DOCK 08143/10:			SERIAL NO.	FILING DATE October 29, 2003	
APPLICANT Keith L. Black and Nagendra S. Ningaraj			raj	GROUP	
		OTHER R	EFERENCES (In	cluding Author, Title, Date, Pertinent Pages, Etc.)	
RS	ВН	permeability, C	Congress of Neurolo	ndent K+ channels are a key regulatory of blood-brain tumor barrier ogical Surgeons Annual Meeting, 50 th Anniversary Celebration, September Convention Center, San Antonio, Texas, ABSTRACT No.428, p. 219.	
	BI	Ningaraj, N.S., Society for Neu ABSTRACT N	<u>uroscience</u> , 30 th An	donors increase blood-brain tumor barrier permeability via Kca channels, unual Meeting, New Orleans, LA, November 4-9, 2000, 26 Part 1, p. 338,	
	ВJ	Pardrige, W., et (1992).	t al., <i>Blood -brain</i> l	barrier and new approaches to drug delivery, West J Med, 156:281-286	
	BK .			pendent protein kinase activates Ca-activated K channels in cerebral artery 1, 265:C299-C303 (1993).	
	BL		Sobey, C.G., et al., Inhibitory effect of 4-aminopyridine on responses of the basilar artery to nitric oxide, Br J Pharmacol, 126:1437-43 (1999). ABSTRACT ONLY.		
	ВМ		Salom, J.B., et al., Relaxant effects of sodium nitroprusside and NONOates in rabbit basilar artery, Pharmacology, 57:79-97 (1998). ABSTRACT ONLY.		
	BN		Salom, J.B., et al., Comparative relaxant effects of the NO donors sodium nitroprusside, DEA/NO and SPER/NO in rabbit carotid arteries, Gen Pharmacol, 32:75-59 (1999). ABSTRACT ONLY.		
	ВО			s of sodium nitroprusside and NONates in goat middle cerebral artery: nemia-reperfusion, <u>Nitric Oxide</u> , 3:85-93 (1999). ABSTRACT ONLY.	
	BP	Shukla, A., et a		pendent blood-brain barrier permeability alteration in the rat brain,	
ils	BQ			analysis of cGMP-dependent protein kinases I and II as mediators of edeberg's Arch Pharmacol, 358:134-138.	
85	BR		Sugita, M., et al., Cyclic GMP-specific phosphodiesterase inhibition and intracarotid bradykinin infusion enhances permeability in brain tumors, Cancer Research, 58:914-920 (1998).		
RS	BS		et al., <i>Effects of cal</i> 104-109 (1988).	cium antagonists on intracerebral penetrating arteriolesi in rats, <u>J</u>	
2	ВТ		Uchida, M., et al., Overexpression of bradykinin type 2 receptors on glioma cells enhances bradykinin- mediated blood-brain tumor varrier permeability increase, Neurological Research, 24:739-745		
EXAMINE	R	Kelve		DATE CONSIDERED 2/16/06	
EXAMINE	EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in				

conformance and not considered. Include copy of this form with next communication to applicant.

	·	31100	
FORM PTO-1449, Adapted			
		ON DISCLOSED BY APPLICANT veral sheets if necessary)	
ATTY. DOCKET NO. 08143/105002	SERIAL NO.	FILING DATE October 29, 2003	
APPLICANT Keith L. Black and	Nagendra S. Ningaraj	GROUP	
	OTHER REFERENCES (Incl.	uding Author, Title, Date, Pertinent Pages, Etc.)	
RBU	GMP-dependent protein kinase, Co	endent blood-brain tumor barrier permeability is not mediated by cyclic ngress of Neurological Surgeons Annual Meeting, 50 th Anniversary D, Henry B. Gonzalez Convention center, San Antonio, Texas, ABSTRACT	
BV	Vodovotz, Y., et al., Regulation of transforming growth factor beta 1 by nitric oxide, Cancer Res, 59:2142-9 (1999). ABSTRACT ONLY.		
BW	Yukabu, M.A., Hematoma-induced enhanced cerebral vasoconstriction to leukotriene C4 and endothelin-1 piglets: role of prostanoids, Pediatr Res, 38:119-23 (1995). ABSTRACT ONLY.		
BX	Tocris Web Page, http://www.tocris.com/cat/nodonorstxt.html No Donors/Precursors, pp.1-2, Downloaded 5/31/00.		
KS BY	Sigma-Aldrich Web page, http://vse	arch.sial.com/search 97cgi/s97-cgi, p.1, downloaded 5/31/00.	
EXAMINER //	D	DATE CONSIDERED 6/(6/1)(6	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.